

Autoradiography

- Ryan-Jastrow, T., Richfield, E.K., Gnegy, M. (1984) Preferential localization of [³H]-sulpiride binding sites to striatum and ventral striatum in rat brain. *Neuroscience Letters* 51:47-53.
- Richfield, E.K., Young, A.B., Penney, J.B. (1986) Properties of D-2 dopamine receptor autoradiography: High percentage of high affinity agonist sites and increased nucleotide sensitivity in tissue sections. *Brain Research* 383:121-128.
- Richfield, E.K., Debowey, D.L., Penney, J.B., Young, A.B. (1987) Basal ganglia and cerebral cortical distribution of dopamine D-1 and D-2 receptors in neonatal and adult cat brain. *Neuroscience Letters* 73:203-208.
- Richfield, E.K., Young, A.B., Penney, J.B. (1987) The distribution of D-1 and D-2 dopamine receptors in the basal ganglia of turtles, pigeons, rats, cats, and monkeys. *Journal of Comparative Neurology* 262:446-463.
- Richfield, E.K., Ciliax, B. J., Starosta-Rubenstein, S. R. , McKeever, P.E., Penney, J.B., Young, A.B. (1988) Comparison of [¹⁴C]-deoxyglucose metabolism and peripheral benzodiazepine receptor binding in rats with C6 glioma. *Neurology* 38:1255-1262.
- Richfield, E.K., Penney, J.B., and Young, A.B. (1989) Anatomical and affinity state comparisons between dopamine D-1 and D-2 receptors in the rat. *Neuroscience* 30:767-777.
- Richfield, E.K., Young, A.B., Penney, J.B. (1989) Cerebral cortical distribution of D-1 and D-2 receptors in rats, cats, and monkeys. *Journal of Comparative Neurology* 286:409-426.
- Richfield, E.K. (1991) Quantitative autoradiography of the dopamine uptake complex in rat brain using [³H]GBR 12935: Binding characteristics. *Brain Research* 540:1-13.
- Herkenham, M., Lynn, A.B., de Costa, B.R., and Richfield, E.K. (1991) Neuronal localization of cannabinoid receptors in the basal ganglia of the rat. *Brain Research* 547:267-274.
- Herkenham, M., Groen, B.G.S, Lynn, A.B., de Costa, B.R., and Richfield, E.K. (1991) Neuronal localization of cannabinoid receptors and second messengers in mutant mouse cerebellum. *Brain Research* 552:301-310.
- Richfield, E.K., O'Brien, C., Eskin, T., and Shoulson, I. (1991) Heterogeneous dopamine receptor changes in early and late Huntington's disease. *Neuroscience Letters* 132:121-126.

- Inglefield, J.I. and Richfield, E.K. (1992) Preservation of the density of the dopamine uptake complex in aging rat brain. *Neurobiology of Aging* 13:383-391.
- Richfield, E.K. (1993) Zinc modulation of drug binding, cocaine affinity states, and dopamine uptake on the dopamine uptake complex. *Molecular Pharmacology* 43:100-108.
- Berendse, H. and Richfield, E.K. (1993) Heterogeneous pattern of dopamine D-1 and D-2 receptors in human ventral striatum. *Neuroscience Letters* 150:75-79.
- Veenman, C. L., Albin, R. L., Richfield, E. K., and Reiner, A. (1994) The distribution of GABA_A, GABA_B, and benzodiazepine receptors in the forebrain and midbrain of pigeons. *Journal of Comparative Neurology* 344:161-189.
- Richfield, E.K. and Herkenham, M. (1994) Selective vulnerability in Huntington's disease: Preferential loss of cannabinoid receptors in lateral globus pallidus. *Annals of Neurology* 36:577-584.
- Voorn, P., Brady, L., Berendse, H., Schotte, A., and Richfield, E.K. (1994) Evidence for two neurochemical divisions in the human nucleus accumbens. *European Journal of Neuroscience* 6:1913-1916.
- McCoy, L. and Richfield, E.K. (1996) Washable endogenous substances and regional heterogeneity in agonist enhanced [³H]MK-801 binding in rat brain. *Brain Research* 710:103-111.
- Vonkeman, H.E., Voorn, P., Brady, L.S., Berendse, H.W., and Richfield, E.K. (1996) Opioid receptor ligand binding in the human striatum. II. Heterogeneous distribution of kappa opioid receptor labeled with [³H]bremazocine. *Journal of Comparative Neurology* 374:223-229.
- McCoy, L. and Richfield, E.K. (1996) Chronic antipsychotic treatment alters glycine-stimulated NMDA receptor binding in rat brain. *Neuroscience Letters* 213:1-5.
- Pokora, M.J., Richfield, E.K. and Cory-Slechta, D.A. (1996) Preferential vulnerability of nucleus accumbens dopamine binding sites to low level lead exposure: Time course of effects and interactions with chronic dopamine agonist treatments. *Journal of Neurochemistry* 67:1540-1550.
- Voorn, P., Brady, L.S., Berendse, H.W., and Richfield, E.K. (1996) Densitometrical analysis of opioid receptor ligand binding in the human ventral striatum. I. Distribution of μ opioid receptor defines shell and core of the ventral striatum. *Neuroscience* 75:777-792.

McCoy, L. and Richfield, E.K. (1996) Chronic treatment with typical and atypical antipsychotics increase the AMPA-preferring form of the AMPA receptor in rat brain. *European Journal of Pharmacology* 318:41-45.

Cory-Slechta, D.A, McCoy, L., and Richfield, E.K. (1997) Time course and regional basis of Pb-induced changes in MK-801 binding: Reversal by chronic treatment with the dopamine agonist apomorphine, but not the D₁ agonist SKF82958. *Journal of Neurochemistry* 68:2012-2023.

McCoy, L., Richfield, E.K. and Cory-Slechta, D.A. (1997) Regional decreases in ³H-AMPA and ³H-CNQX binding in response to chronic low-level lead exposure: Reversal vs potentiation by chronic dopamine agonist treatment. *Journal of Neurochemistry* 69:2466-2476.

McCoy, L. and Richfield, E.K. (1996) Chronic treatment with typical and atypical antipsychotics increase the AMPA-preferring form of the AMPA receptor in rat brain. *European Journal of Pharmacology* 318:41-45.